

écrans NEW PORT

Ensemble, faisons barrière!

2020



manade®
PARIS




Écran NEW PORT verre H. 60 cm

écran en verre trempé épaisseur 6 mm


L'écran 76 cm est prévu pour venir en retour sur les plans profondeur 80 cm

Écran sur socle

Longueur 76 cm	NP 76 CVT 60 S
Longueur 100 cm	NP 100 CVT 60 S
Longueur 120 cm	NP 120 CVT 60 S
Longueur 140 cm	NP 140 CVT 60 S
Longueur 160 cm	NP 160 CVT 60 S
Longueur 180 cm	NP 160 CVT 60 S



écrans NEW PORT. Ajouter derrière la réf. la finition du profil
Profil thermolaqué



Verre ép. 6 mm




Verre transparent



Écran individuel

Pinces simples ouverture 22 - 40 mm


Longueur 76 cm	NP 80 CVT 60 P
Longueur 100 cm	NP 100 CVT 60 P
Longueur 120 cm	NP 120 CVT 60 P
Longueur 140 cm	NP 140 CVT 60 P
Longueur 160 cm	NP 160 CVT 60 P
Longueur 180 cm	NP 180 CVT 60 P



Écran partagé


Fixations médianes ouverture 22 - 40 mm

Longueur 76 cm	NP 80 CVT 60 P
Longueur 100 cm	NP 100 CVT 60 P
Longueur 120 cm	NP 120 CVT 60 P
Longueur 140 cm	NP 140 CVT 60 P
Longueur 160 cm	NP 160 CVT 60 P
Longueur 180 cm	NP 180 CVT 60 P



écrans NEW PORT. Ajouter derrière la réf. la finition du profil

Profil thermolaqué



Verre ép. 6 mm



Verre transparent




Écran NEW PORT mélaminé antibactérien H. 60 cm

panneau mélaminé épaisseur 12 mm

L'écran 76 cm est prévu pour venir en retour sur les plans profondeur 80 cm


Écran sur socle

Longueur 76 cm	NP 76 CM 60 S
Longueur 100 cm	NP 100 CM 60 S
Longueur 120 cm	NP 120 CM 60 S
Longueur 140 cm	NP 140 CM 60 S
Longueur 160 cm	NP 160 CM 60 S
Longueur 180 cm	NP 160 CM 60 S



écrans NEW PORT. Ajouter derrière la réf. la finition du profil et du panneau

Profil thermolaqué



Panneau Mélaminé antibactérien ép. 12 mm






Écran individuel

Pinces simples ouverture 22 - 40 mm


Longueur 76 cm	NP 80 CM 60 P
Longueur 100 cm	NP 100 CM 60 P
Longueur 120 cm	NP 120 CM 60 P
Longueur 140 cm	NP 140 CM 60 P
Longueur 160 cm	NP 160 CM 60 P
Longueur 180 cm	NP 180 CM 60 P



Écran partagé


Fixations médianes ouverture 22 - 40 mm

Longueur 76 cm	NP 80 CM 60 P
Longueur 100 cm	NP 100 CM 60 P
Longueur 120 cm	NP 120 CM 60 P
Longueur 140 cm	NP 140 CM 60 P
Longueur 160 cm	NP 160 CM 60 P
Longueur 180 cm	NP 180 CM 60 P



écrans NEW PORT. Ajouter derrière la réf. la finition du profil et du panneau

Profil thermolaqué



Panneau Mélaminé antibactérien ép. 12 mm



Toolbar


Profile

L. 80 cm	NP 80	
L. 100 cm	NP 100	
L. 120 cm	NP 120	
L. 140 cm	NP 140	
L. 160 cm	NP 160	
L. 180 cm	NP 180	

Fixings with 10 cm uprights

Opening: clamp 22- 40 mm, through-desk fixing 60 mm


1-sided clamps for 1 desk	NP 10 P
2-sided clamps between 2 desks	NP 10 M
Through-desk fixing (drill hole)	NP 10 F



Fixings without any upright

Opening: clamp 22- 40 mm, through-desk fixing 60 mm

1-sided clamps for 1 desk	NP 00 P
2-sided clamps between 2 desks	NP 00 M
Through-desk fixing (drill hole)	NP 00 F



Powder-coating

Profile and fixing options



A Fabric ESSENTIEL

Screen 32 mm thick



B Fabric COCOON

Screen 32 mm thick




For screens, add the colours first for the powder-coated structure then for the panel in melamine or fabric (A or B) behind the reference.

Transparent PMMA Screen

Type A cm 66h With Hole


L cm	Codice	Sp 5 mm	Sp 6 mm	Q.tà Minima Ordine
L. 80	NP SCA WH 08066/*			11
L. 100	NP SCA WH 10066/*			9
L. 120	NP SCA WH 12066/*			6
L. 140	NP SCA WH 14066/*			6
L. 160	NP SCA WH 16066/*			5



***= 5 or 6**

Type A cm 66h No Hole


L cm	Codice	Sp 5 mm	Sp 6 mm	Q.tà Minima Ordine
L. 80	NP SCA NH 08066/*			11
L. 100	NP SCA NH 10066/*			9
L. 120	NP SCA NH 12066/*			6
L. 140	NP SCA NH 14066/*			6
L. 160	NP SCA NH 16066/*			5





***= 5 or 6**

Type B cm 50h No Hole

L cm	Codice	Sp 5 mm	Sp 6 mm	Q.tà Minima Ordine
L. 80	NP SCA NH 08050/*			14
L. 100	NP SCA NH 10050/*			12
L. 120	NP SCA NH 12050/*			9
L. 140	NP SCA NH 14050/*			8
L. 160	NP SCA NH 16050/*			6




***= 5 or 6**




Il vano passacarte è realizzabile solo su schermi in Vetro e PMMA


TOOLBAR



TOOLBAR & SCREEN



SCREEN



Compatible LIGHTING ⁽¹⁾

- LOOLA p.72
- COSYLITE p.84
- MELODY p.88
- INTENS 2A & 3A p.90
- ISOS 2A & 3A p.94



Compatible ACCESSORIES ⁽²⁾

- MADISON p.23
- NEW WAVE p.34
- SURF p.36
- DUALIS p.40

⁽¹⁾ The lighting elements can be fitted on NEW PORT toolbars and screens with 10 or 20 cm uprights (NP)

⁽²⁾ The NEW WAVE, DUALIS and SURF accessories are hooked in the side grooves on NEW PORT toolbars and screens with 10 or 20 cm uprights. Only the NEW WAVE pen tray can be fitted with the screen without any uprights.
The MADISON accessories can only be implemented in the versions with a screen.

NEW WAVE

.....

Design Emmanuel GALLINA






3rd level accessories

Items below fit on NEW PORT, MADISON, DUP and SUM toolbars

Mail tray

L. 343 x D. 263 x H. 45 mm

NW 10 GR



Support for 2 mail trays (not included)


L. 360 x D. 15 x H. 170 mm

For NEW PORT profile

NW 11 NP

For DUP or SUM profile

NW 11 DUP



Support for 3 mail trays (not included)


L. 360 x D. 15 x H. 260 mm

For NEW PORT profile (only in H. 20 cm)

NW 12 NP

For SUM or DUP profiles


NW 12 DUP



Tidy

L. 136 x D. 117 x H. 188 mm

NW 22 GR



Lockable box


L. 280 x D. 190 x H. 45 mm

For NEW PORT profile

NW 23 NP

For SUM or DUP profiles

NW 23



Pen box

L. 82 x D. 64 x H. 122 mm


NW 30 GR



Shelf with pen tray

L. 440 x D. 263 x H. 37 mm


NW 40 GR



Phone tray

L. 280 x D. 260 x H. 174 mm


NW 52 GR



3-sections sorter

L. 346 x D. 250 x H. 263 mm

NW 60 GR



Pen tray

L. 260 x D. 84 x H. 33 mm

NW 80 GR




Items below fit only on NEW PORT H. 20 cm

A4 paper box

L. 265 x D. 110 x H. 296 mm


NW 21 GR




Binder support

L. 102 x D. 260 x H. 350 mm

NW 70 GR



Powder-coating colours



compatible
TOOLBARS & SCREENS

- MADISON p.25
- NEW PORT p.28
- DUP - SUM p.32

LOOLA


Design Philippe STÉPHANT



NEW PORT 3rd level lamp

LED 8 W, single arm


LOOLA 1 NP



NEW PORT 3rd level lamp

LED 8 W, flexible arm with 2 articulations


LOOLA FLEX 2A NP



Energy class

A* LED

Colours





MELODY

Design Studio MANADE

Desk lamp for NEW PORT profile


Square lampshade white or coloured

23 W Fluorescent

MELO NP FL .. CA ..

9 W LED

MELO NP LED .. CA ..



Lampshades



Energy classes



Colours for powder-coated structure



Replace the .. with the colours first for the structure, then for the shades.

Other fixing options: consult us.

INTENS

.....




3rd level lamp

Flexible arm with 2 articulations

FLUO 11 W	IN 2A 11 *	SURF	NP
FLUO 2X9 W, 2 lighting levels	IN 2A 2X9 *	SURF	NP
FLUO 18 W, electronic PS	IN 2A 18 *	SURF E	NP E


LED 2 lighting levels	MAXI LED 2A	SURF	NP
LED, dimmable	MAXI LED 2A VA	SURF	NP
LED, with motion sensor	MAXI LED 2A D *	SURF	NP



Flexible arm with 3 articulations

FLUO 11 W	IN 3A 11 *	SURF	NP
FLUO 2X9 W, 2 lighting levels	IN 3A 2X9 *	SURF	NP
FLUO 18 W, electronic PS	IN 3A 18 *	SURF E	NP E

LED 2 lighting levels	MAXI LED 3A	SURF	NP
LED, dimmable	MAXI LED 3A VA	SURF	NP
LED, with motion sensor	MAXI LED 3A D *	SURF	NP



Energy Class

A++	LED
A	FLUO 11 W
A	FLUO 2X9 W
B	FLUO 18 W

Colours

Intens LED: powder-coated structure and head - Intens FLUO: powder coated structure, ABS head



* Available until stock lasts.




3rd level lamp

Dup/SumNew Port

Flexible arm with 2 articulations

FLUO 11 W	<i>IN 2A 11 *</i>	<i>SURF</i>	<i>NP</i>
FLUO 2X9 W, 2 lighting levels	<i>IN 2A 2X9 *</i>	<i>SURF</i>	<i>NP</i>
FLUO 18 W, electronic PS	<i>IN 2A 18 *</i>	<i>SURF E</i>	<i>NP E</i>


LED 2 lighting levels	<i>MAXI LED 2A</i>	<i>SURF</i>	<i>NP</i>
LED, dimmable	<i>MAXI LED 2A VA</i>	<i>SURF</i>	<i>NP</i>
LED, with motion sensor	<i>MAXI LED 2A D *</i>	<i>SURF</i>	<i>NP</i>



Flexible arm with 3 articulations

FLUO 11 W	<i>IN 3A 11 *</i>	<i>SURF</i>	<i>NP</i>
FLUO 2X9 W, 2 lighting levels	<i>IN 3A 2X9 *</i>	<i>SURF</i>	<i>NP</i>
FLUO 18 W, electronic PS	<i>IN 3A 18 *</i>	<i>SURF E</i>	<i>NP E</i>


LED 2 lighting levels	<i>MAXI LED 3A</i>	<i>SURF</i>	<i>NP</i>
LED, dimmable	<i>MAXI LED 3A VA</i>	<i>SURF</i>	<i>NP</i>
LED, with motion sensor	<i>MAXI LED 3A D *</i>	<i>SURF</i>	<i>NP</i>



Library lamp


Lamp with one lighting head

FLUO 18 W, electronic PS	<i>IN 18 BI E *</i>
LED 2 lighting levels	<i>MAXI LED 1X7 BI</i>



Lamp with two lighting heads

FLUO 18 W, electronic PS	<i>IN 2X18 BI E *</i>
LED 2 lighting levels	<i>MAXI LED 2X7 BI</i>



Glare free diffusers for FLUO lamps

The option would be factory fitted if you add SCG behind the lamp reference.

Diffuser providing adjustable lighting

For 11 W fluorescent lamp	<i>ING 11</i>
For 18 W fluorescent lamp	<i>ING 18</i>

Diffuser providing asymmetric lighting

For 2X9 W fluorescent lamp	<i>ING 2X9</i>
----------------------------	----------------

Energy Class

A⁺⁺	LED
A	FLUO 11 W
A	FLUO 2X9 W
B	FLUO 18 W

Colours

Intens LED: powder-coated structure and head - Intens FLUO: powder coated structure, ABS head

01	51	29	24	27

* Available until stock lasts.



ISOS

.....

Design Philippe MICHEL

Desk lamp for NEW PORT profile

Flexible arm with 2 articulations


11 W fluorescent

IS 2A 11 NP

Flexible arm with 3 articulations

11 W fluorescent

IS 3A 11 NP



Optional extra for fluorescent lamp: glare free diffuser

Diffuser with manual dimming.

Factory fitted

Add behind the ref.

... SCG

Ordered separately

11 W fluorescent

SCG

Energy classes

A Fluo

Powder-coated colours



Other fixing options: consult us



Desk lamp for DUP and SUM profiles

Flexible arm with 2 articulations



11 W fluorescent

IS 2A 11 SURF

Flexible arm with 3 articulations

11 W fluorescent

IS 3A 11 SURF



Desk lamp for NEW PORT profile

Flexible arm with 2 articulations



11 W fluorescent

IS 2A 11 NP

Flexible arm with 3 articulations

11 W fluorescent

IS 3A 11 NP



Optional extra for fluorescent lamp: glare free diffuser

Diffuser with manual dimming.

Factory fitted

Add behind the ref.

... SCG

Ordered separately

11 W fluorescent

SCG

Energy classes

A Fluo

Powder-coated colours



Other fixing options: consult us

Distribuzione Italia
AGENZIA LATTANZI
Via S.Martino 26
00015 Monterotondo RM
tel 06 90627952 - 3493518676
mail: ordini@agenziafattanzi.it
commerciale@agenziafattanzi.it



www.manade.com